REPUBLIC OF YEMEN

Medical Council
Pharmacist Pen Team



فَمُ كُونُ لِيَّ مِنْ لِكُونِكِ مِنْ لِيَّ الْمُحِنْدِينَ مَا الْمُحِنْدِينَ الْمُحْدِينِ الْمُحْدِينِ اللهِ اللهِي اللهِ الل

1



- https://pharmacistpen.com
 - https://www.facebook.com/PharmacistPen
 - https://www.youtube.com/@pharmacistpen
- https://t.me/pharmacistpen1

ع إحداد وجيع فريق قلم حيدلي

1: Choose the best answer for the following questions:

- 1) Which of the following in cultigen it's pyridoxine?
 - a) Epigastric pain
 - b) Malabsorption
 - c) Metoclopramide
 - d) Use for nausea pregnancy
- 2) Some Drugs cause nephrotoxicity which the following proceed in organ?
 - a) Kidney
 - b) Liver
 - c) Heart
 - d) Gastric
- 3) Which the following is not use in pregnancy?
 - a) H₂-antagonist
 - b) Antacids
 - c) Proton pump inhibitor
 - d) All of the above
- 4) Which of the following Antidote of paracetamol toxicity?
 - a) Acetylcysteine
 - b) Vit k
 - c) Edeta ca
 - d) Vit B₆
- 5) Which the following is More effective in treatment of GERD?
 - a) Antacid
 - b) H₂-blockers
 - c) Proton pump inhibitor
 - d) All of the above
- 6) Which of the following is the older drug in thyroid disorders?
 - a) Iodide
 - b) Radio therapy iodine
 - c) Theoamide
 - d) None of the above
- 7) Which of the following increase mucosa in gastric?
 - a) Antacid
 - b) Proton pump inhibitor
 - c) Sucralfate





d) Misoprostol

8) General anesthesia drug I.V its long duration?

- a) Nitrous
- b) Halothane
- c) Propofol
- d) All of the above

9) Which of the following belong to macrolide?

- a) Gentamycin
- b) Erythromycin
- c) Ciprofloxacin

10) General anesthesia drug use inhalation is?

- a) Ketamine
- b) Halothane
- c) Diazepam
- d) All of the above

11) Drug more side effect proceed in Morphine?

- a) Respiratory depressions
- b) Dry mouth
- c) Diarrhea
- d) None of the above

12) Which of the following drugs is commonly used in nasal decongestant?

- a) Ephedrine
- b) Clonidine
- c) Chlorpheniramine
- d) Oxymetazoline

13) Which one of the following medications may worsen the symptoms of GERD by decreasing lower esophageal sphincter pressure?

- a) Anticholinergic
- b) Nitrates
- c) Quinidine

14) Of the following use in Type 1 of diabetes?

- a) Insulin
- b) Metformin
- c) Sulfonylurea
- d) Gliclazide





15) Drug that use topical most be is?

- a) Use in parenteral
- b) Use oral
- c) Across and absorb in the skin
- d) All of the above

16) Use in H-pylori It has antibacterial agent use in gastric?

- a) Lansoprazole
- b) Ranitidine
- c) Sucralfate
- d) Bismuth

17) Effect use acidity Which the following is proceed in gastric?

- a) H_2
- b) H₁
- c) 5-HT₃
- d) Alanine aminotransferase

18) Some drug come in Senna leaf it's has effect?

- a) Antidiarrheal
- b) Colon irritation
- c) Malabsorption
- d) Anti -constipation

19) Condition of candidiasis it's use oral candidiasis?

- a) Clotrimazole
- b) Ketoconazole
- c) Fluconazole
- d) Miconazole

20) Which the following is prolonged drug?

- a) Benzathine penicillin
- b) Penicillin v
- c) Procaine penicillin
- d) All of the above

21) One of these drugs uses for gout is?

- a) Colchicine
- b) Saline
- c) Serotonin
- d) Acetylcholine





22) One of the following is treatment alopecia and baldness?

- a) Hydralazine
- b) Atenolol
- c) Nitrate
- d) Minoxidil

23) It has effect proceed with Parkinson?

- a) Adrenaline
- b) Epinephrine
- c) Acetylcholine
- d) None of the above

24) Which the following intramuscular route reach to effect?

- a) 25%
- b) 50%
- c) 100
- d) 75%

25) These drug use as laxative act increases the flow of intestinal content by osmosis?

- a) Saline cathartic
- b) Castor oil
- c) Loperamide
- d) Bisacodyl

26) Which the following use artemisinin agent?

- a) Antifungal
- b) Antimalarial
- c) Antivirus
- d) Ant tubercular

27) It's from antiemetic agent use to nausea, vomiting?

- a) Phenytoin
- b) Promethazine
- c) Doxycycline
- d) Misoprostol

28) In treatment NSAIDs celecoxib is not use with?

- a) Polyposis
- b) Cardiovascular
- c) Osteoporosis
- d) Rheumatoid arthritis





29) In NSAIDs treatment has anti-inflammatory effect?

- a) Paracetamol
- b) Acetaminophen
- c) Meloxicam
- d) None of the above

30) The drugs don't have effective not side effects not activity?

- a) Agonist
- b) Antagonist
- c) Agonist antagonist
- d) None of the above

31) In treatment anemia that cause iron deficiency use?

- a) Ferrous gluconate
- b) Ferrous format
- c) Ferric
- d) Ferrous sulfate

32) The following of toxicity of paracetamol it's has?

- a) Liver damage
- b) Nephrotoxicity
- c) Bleeding
- d) Gastric ulcer

33) In the following proceed in pharmacodynamics is?

- a) It absorbs drug
- b) Mechanisms of action of drug
- c) Distribution of drug
- d) All of the above

34) It's has antiemetic agent use metoclopramide for nausea. Vomiting by?

- a) Block dopamine receptors central only
- b) Block dopamine receptors central and peripheral
- c) Agonist 5HT3
- d) Antagonist 5T3

35) In NSAIDs use 400-600mg dose 1600mg-1800mg maximum which the following?

- a) Paracetamol
- b) Meloxicam
- c) Ibuprofen
- d) All of the above





36) Which the following use with capsicum?

- a) Zinc
- b) Iron
- c) Vit C
- d) All of the above

37) In emulsions prepared is emulsion agent that ... Stability?

- a) Decrease
- b) Increase
- c) Enhances
- d) Change

38) In pharmaceutical dosage form disadvantage of suspension is not.... For potent?

- a) Suitable
- b) Capable
- c) Change
- d) None of the above

39) Which of following use to treat of diarrhea as anti-motility?

- a) Loperamide
- b) Bisacodyl
- c) Castor
- d) Epsom salt

40) Antihistamine and cause sedative that act H1 it proceeds in?

- a) CNS
- b) Gastric
- c) Liver
- d) All of the above

41) Any Following is use oral only?

- a) Ceftriaxone
- b) Cefaclor
- c) Cefuroxime
- d) All of the above

42) Which the following use in herpetic use orally?

- a) Acyclovir
- b) Zidovudine
- c) Lamivudine
- d) None of the above





43) Use in diabetes Type1 which of following use injection it's long duration?

- a) Insulin regular human
- b) Insulin NPH
- c) Insulin glargine
- d) Insulin lispro protamine

44) Teratogenic action is?

- a) Toxic action on the liver
- b) Negative action on the fetus causing fetal malformation
- c) Toxic action on blood system
- d) Toxic action on kidneys

45) Praziquantel used for?

- a) Schistosoma
- b) Acaras
- c) Amoeba
- d) Giardia

46) Quinine used for?

- a) Prophylaxis of malaria
- b) Treatment of malaria
- c) A and b
- d) None of the above

47) Which route of drug administration is most likely to lead to the first-pass effect?

- a) Sublingual
- b) Oral
- c) Intravenous
- d) Intramuscular

48) Interaction between drug and receptor be long to?

- a) Pharmacokinetics
- b) Pharmaco-therapeutics
- c) Pharmacodynamics
- d) None of the above

49) The term "metabolism" includes the following?

- a) Transfer of the drug from administration site to systemic circulation
- b) Binding of substances with plasma proteins
- c) Accumulation of substances in a tissue
- d) Process of physicochemical and biochemical alteration of a drug in the body



50) All of the following processes proceeds in the first phase of metabolism EXCEPT?

- a) Acetylation
- b) Reduction
- c) Oxidation
- d) Hydrolysis

51) Acidic drug usually absorbed in?

- a) Stomach
- b) Small Intestine
- c) Large intestine
- d) None of the above

52) Drug shave similar action of natural neuro transmitter called?

- a) Antagonist
- b) Agonist
- c) Partial agonist
- d) None of the above

53) Half-life (t1/2) defined as?

- a) Volume of plasma cleared from the drug per unit time
- b) Time of drug absorption
- c) Time needed by the body to decrease a plasma concentration of drug to its half
- d) Distribution of the drug in to body fluid & tissues

54) Pharmacodynamics involves the study of following EXCEPT?

- a) Biological and therapeutic effects of drugs
- b) Absorption and distribution of drugs
- c) Mechanisms of drug action
- d) Drug interactions

55) Transfer of the drug from the site of administration to the systemic circulation regard to?

- a) Metabolism
- b) Distribution
- c) Absorption
- d) Excretion

56) An antagonist is a drug that?

- a) Binds to the receptors and gives action similar to the natural neurotransmitter
- b) Binds to the receptors and gives action opposite to the natural neurotransmitter
- c) Both of them
- d) None of the above





57) The main site of absorption is?

- a) Liver
- b) Stomach
- c) Small intestine
- d) Large intestine

58) The main site of metabolism is?

- a) Liver
- b) Stomach
- c) Small intestine
- d) Large intestine

59) Narrow therapeutic index of drugs means?

- a) High safety of drug
- b) Low safety of drugs
- c) Doesn't affect
- d) All of the above

60) Water soluble drugs are excreted in?

- a) Bile
- b) Urine
- c) Sweat
- d) B and c are correct

61) Characteristics Plasma protein binding of drugs are?

- a) Pharmacologically inactive
- b) Do not excreted from the body
- c) Existing as stored form in the body
- d) All of the above

62) All of the following advantages of Parenteral administration EXCEPT?

- a) Can be used with unconsciousness patients
- b) Can be controlled in case of over dose
- c) Usually produces a more rapid response than oral administration
- d) Is too high for emergency use

63) The drug used to give locally effect should be?

- a) Not irritant
- b) Not absorbed and not distributed
- c) Absorbed and distribute
- d) None of the above



64) Which the capsaicin used with one the following?

- a) Zinc
- b) Vitamin c
- c) Mg oxide
- d) All of the following are correct

65) Which the Senna used in the?

- a) Diarrhea
- b) Laxative
- c) Vomiting
- d) Antacid

66) Which the bismuth salicylic used in the following?

- a) Antacid
- b) Antimicrobial
- c) Mucosa
- d) All of the following are correct

67) Defined as macromolecular protein present in cell surface or intracellular is?

- a) Carrier
- b) Receptor
- c) Ion channels
- d) Enzymes

68) All of the following are correct about advantages of oral route EXCEPT?

- a) Palatable
- b) Economic
- c) Safe
- d) Used in emergency

69) Water soluble drugs are excreted in?

- a) Bile
- b) Urine
- c) Sweat
- d) B and c are correct

70) Characteristics of plasma protein binding of drugs are?

- a) Pharmacologically inactive
- b) Do not excreted from the body
- c) Existing as stored form in the body
- d) All of the above





71) All of the following advantages of Parenteral administration EXCEPT?

- a) Can be used with unconsciousness patients
- b) Can be controlled in case of over dose
- c) Usually produces a more rapid response than oral administration
- d) Is too high for emergency use

72) The drug used to give locally effect should be?

- a) Not irritant
- b) Not absorbed and not distributed
- c) Absorbed and distribute
- d) None of the above

73) Which of the following factor effecting on absorption related to the patient?

- a) Lipid solubility
- b) Surface area
- c) Both of them
- d) None of the above

74) Which of the following indirect sympathomimetic used as decongestant?

- a) Adrenaline
- b) Noradrenaline
- c) Ephedrine
- d) A & b are correct

75) All of the following neurotransmitter of sympathetic nervous system EXCEPT?

- a) Serotonin
- b) Adrenaline
- c) Dopamine
- d) Noradrenalin

76) Acetylcholine consider as neurotransmitter of?

- a) Sympathetic nervous
- b) Parasympathetic nervous system
- c) Somatic nervous system
- d) B and c are correct

77) As an example of indirect sympathomimetic agent used for treatment obesity, fatique?

- a) Amphetamine
- b) Dobutamine
- c) Prazosin
- d) Salbutamol





78) Used in hypertension managements?

- a) Hyoscine
- b) Ephedrine
- c) Propranolol
- d) All of the above

79) Salbutamol is used for?

- a) Cardiogenic shock
- b) Epistaxis
- c) Bronchial asthma
- d) None of the above

80) Clofibrate, and atorvastatin belong to?

- a) Anticoagulant agents
- b) Anti-hyperlipidemia agents
- c) Oral hypoglycemic
- d) Antihypertension agents

81) Adrenalin causes all of the following EXCEPT?

- a) Vasoconstriction
- b) Bronchodilation
- c) Miosis
- d) Hyperglycemia

82) Given within 72 hours of thrombus formation, act as fibrinolytic agent?

- a) Urokinase
- b) Ketanserine
- c) Heparin
- d) None of the above

83) Co-administration of Vit.C preferred with?

- a) Oral ferrous sulfate
- b) Oral ferric sulfate
- c) Oralvit. B 12
- d) All of the above

84) Amoebiasis, Trypanosomiasis, and Toxoplasmosis belong to?

- a) Bacterial infection
- b) Parasite infection
- c) Fungal infection
- d) Viral infection



85) Which of the following drug contraindicated in asthmatic patient?

- a) Propranolol
- b) Atenolol
- c) Aspirin
- d) A and c are correct

86) All of the following are side effect of atropine EXCEPT?

- a) Constipation
- b) Dry mouth
- c) Miosis
- d) Urine retention

87) Which of the following used as antidote for paracetamol poisoning?

- a) Neostigmine
- b) Atropine
- c) Acetylcysteine
- d) B and c only

88) Which of the following can be used to treat hypertension in pregnant women?

- a) Clonidine
- b) Alpha methyl dopa
- c) Captopril
- d) Verapamil

89) Choose the drug which act by inhibition of lipo-oxygenase enzyme?

- a) Zileuton
- b) Na cromoglycate
- c) Zafirlukast
- d) All of the above

90) Which of the following act by inhibit Na channel?

- a) Nifedipine
- b) Phenytoin
- c) Diazepam
- d) None of the above

91) Which of the following used as antidepressant?

- a) Fluoxetine
- b) Clomipramine
- c) Chlorpromazine
- d) A and b are correct





92) Which of the following D2 agonist used for parkinsonism?

- a) Imipramine
- b) Bromocriptine
- c) L-dopa
- d) None of the above

93) Which of the following H1 blocker used in bronchial asthma?

- a) Chlorpheniramine
- b) Ketotifen
- c) Meclizine
- d) Cyproheptadine

94) Which of the following used for schistosomiasis?

- a) Praziquantel
- b) Albendazol
- c) Mebendazol
- d) B and c only

95) Which of the following can be used as pre- anesthetic medication?

- a) Diazepam
- b) Atropine
- c) Morphine
- d) All of the above

96) Which of the following used as sedative and hypnotic?

- a) Diazepam
- b) Bromocriptin
- c) Zaleplon
- d) A and c only

97) Indicate the drug belonging to proton pump inhibitor?

- a) Ranitidine
- b) Sucralfate
- c) Pantoprazole
- d) Bismuth

98) Which of the following can be used as first choice to treat N.V induced by chemotherapy and radiation?

- a) Hyoscine
- b) Metoclopramide
- c) Ondansetron
- d) All of the above







- a) Nitroglycerin
- b) Hydralazine
- c) Na nitroprusside
- d) Minoxidil

100) Which of the following can be used to treat diarrhea caused by giardia and amoeba?

- a) Omeprazole
- b) Metronidazole
- c) Loperamide
- d) A and b are correct



زورو موقعنا عبر جوجل وقناتنا الرسمية عبر تليجرام للاطلاع على جميع الناذج والملخصات والتفريغات المهمة في عالم الصيدلة ١٩٩٩

