

بِسْمِ اللّٰهِ الرَّحْمٰنِ الرَّحِيْمِ

REPUBLIC OF YEMEN
Medical Council
Pharmacist Pen Team



المجْمُورَةُ الْعَيْنَةُ
المجلس الطبي
فريق قلم صيدلي

2



<https://pharmacistpen.com>



<https://www.facebook.com/PharmacistPen>



<https://www.youtube.com/@pharmacistpen>



<https://t.me/pharmacistpen1>

إعداد وتحضير فريق قلم صيدلي

I: Choose the best answer for the following questions:

1) Which of the following drugs central antitussive?

- a) Bromhexine
- b) Guaifenesin
- c) **Codeine**
- d) Ipecac

2) Which of the following can be used to treat acute attack of migraine?

- a) Sumatriptan
- b) Methysergide
- c) Ergotamine
- d) All of the above except b**

3) Which of the following oral hypoglycemic agent belong to biguanides?

- a) Insulin
- b) Metformin**
- c) Gliclazid
- d) Acarbose

4) Pernicious anemia deficiency in?

- a) Iron
- b) Folic acid
- c) Vit B₁₂
- d) B and c are correct**

5) Which of the following is oral anticoagulant?

- a) Heparin
- b) Aspirin
- c) Warfarin**
- d) Streptokinase

6) Which of the following are anti- epilepsy?

- a) Phenytoin**
- b) Imipramine
- c) Bromocriptine
- d) All of the above

7) Which of the following is long acting benzodiazepines?

- a) Oxazepam
- b) Lorazepam
- c) Diazepam**

d) All of the above

8) **Which of the following anti-malaria used for treatment and prophylaxis?**

a) Chloroquine

b) Mefloquin

c) Quinine

d) None of the above

9) **Which of the following can be used to treat anorexia (bulimia) nervosa?**

a) Insulin

b) Pizotifen

c) Fluoxetine

d) A and c are correct

10) **Which of the following an example of loop diuretic?**

a) Hydrochlorothiazide

b) Torsemide

c) Spironolactone

d) None of the above

11) **An example of potassium sparing diuretic?**

a) Torsemide

b) Spironolactone

c) Indapamide

d) B and c are correct

12) **An example of calcium channel blocker is?**

a) Mannitol

b) Diltiazem

c) Verapamil

d) All of the above except a

13) **Which of the following used in post-partum bleeding (hemorrhage)?**

a) Ergotamine

b) Clonidine

c) Ergometrin

d) None of the above

14) **Which of the following drug used to treat status epileptics?**

a) Valoproic acid

b) Clonazepam

c) Diazepam

d) All except b

15) Which of the following drugs used as first choice in first line to treat T.B?

- a) Rifampicin
- b) Streptomycin
- c) Isoniazid
- d) A and c

16) Which of the following mode of action of doxycycline?

- a) Inhibit cell wall synthesis
- b) Inhibit DNA synthesis
- c) Inhibit folic acid synthesis
- d) Inhibit protein synthesis

17) Which of the following used for hyperthyroidism in pregnant women?

- a) Radioactive iodine
- b) Carbimazole
- c) KI CAP
- d) Propylthiouracil

18) Patient suffer from chronic arthritis & used NSAID for long period of life the drug can be used to avoid the peptic ulcer occur is?

- a) Sucralfate
- b) Bismuth salt
- c) Misoprostol
- d) None of the above

19) An example of antacids cause constipation as side effects?

- a) Mg(OH)₂
- b) CaCO₃
- c) Al(OH)₃
- d) B and c are correct

20) Anti-hyperlipidemia act by inhibit HMG-COA enzyme?

- a) Nicotinic acid
- b) Fenofibrate
- c) Atorvastatin
- d) None of the above

21) An example of long acting corticosteroids?

- a) Hydrocortisone
- b) Prednisolone
- c) Dexamethasone
- d) A and c are correct



22) Hormones are?

- a) Products of endocrine gland secretion
- b) Mediators of inflammatory process
- c) Byproducts of tissue metabolism
- d) All of the above

23) Which of the following agent used for hypothyroidism?

- a) Insulin
- b) Levothyroxine
- c) Hydrocortisone
- d) None of the above

24) Which of the following organs is a target for prolactin?

- a) liver
- b) Adrenal cortex
- c) Thyroid
- d) Mammary gland

25) Antiviral agent increase release of dopamine from its neurons and so can be used for parkinsonism is?

- a) Acyclovir
- b) Ganciclovir
- c) Oseltamivir
- d) Amantadine

26) The anterior-pituitary gland does not secret?

- a) Vasopressin
- b) Prolactin
- c) Growth hormone
- d) FSH & LH

27) Chlorodiazepoxide + clinidium bromide used for?

- a) Convulsion
- b) Psychosis
- c) Parkinsonism
- d) Spastic colon

28) Indicate the competitive antagonist of BZ-receptor (antidote of BZ)?

- a) Flumazenil
- b) Zolpidem
- c) Buspirone

29) Rational anti-microbial combination is used to?

- a) Provide synergism when microorganisms are not effectively eradicated with a single agent
- b) Provide broad coverage
- c) Prevent the emergence of resistance
- d) All of the above

30) Antibiotic inhibiting bacterial DNA synthesis is?

- a) Erythromycin
- b) Rifampin
- c) Chloramphenicol
- d) Ciprofloxacin

31) Which of the following drugs is used for systemic mycosis (candidiasis) infections treatment?

- a) Co-trimoxazole
- b) Nystatin
- c) Amphotericin B
- d) None of the above

32) Which of the following drugs is used for dermatomycosis treatment?

- a) Nystatin
- b) Griseofulvin
- c) Amphotericin B
- d) All of the above

33) Which of the following used to treat toxoplasmosis in pregnant women?

- a) Pyrimethamine + sulfadiazine
- b) Azithromycin
- c) Spiramycin
- d) B and c are correct

34) Mechanism of action isoniazid is?

- a) Inhibition of protein synthesis
- b) Inhibition of mycolic acids synthesis
- c) Inhibition of folic acid synthesis
- d) A and b are correct

35) Tick the drug of choice used for clostridium difficile as first choice?

- a) Metronidazole
- b) Tinidazole



c) Vancomycin

36) **All of the following antimalarial drugs influence blood schizonts, EXCEPT?**

a) Mefloquine

b) Chloroquine

c) Primaquine

d) None of the above

37) **All of the following agents inhibit protein synthesis EXCEPT?**

a) Streptomycin

b) Doxycycline

c) Chloramphenicol

d) Amoxicillin

38) **Tick the beta-lactamase (penicillin's) inhibitor?**

a) Clavulanic acid

b) Sulbactam

c) Tazobactam

d) All of the above

39) **All of the following antibiotics regard to macrolides, EXCEPT?**

a) Erythromycin

b) Clarithromycin

c) Kanamycin

d) Roxithromycin

40) **Tetracycline have the following side effects?**

a) Irritation of gastrointestinal mucosa, photo-toxicity

b) Hepatotoxicity, anti-anabolic effect

c) Dental hypoplasia, bone deformities

d) All of the above

41) **Tick the drug belonging to antibiotics-aminoglycosides?**

a) Erythromycin

b) Gentamycin

c) Vancomycin

d) Polymixin

42) **Which of the following main side effect of Lincosamides?**

a) Nephrotoxicity

b) Pseudomembranous colitis

c) Ototoxicity

d) None of the above

43) Tick the side effects of Metronidazole?

- a) Nausea, vomiting, diarrhea.
- b) Disulfiram like reaction
- c) Metallic and bitter taste
- d) All of the above**

44) Gray baby syndrome is a side effect related to?

- a) Erythromycin
- b) Chloramphenicol**
- c) Vancomycin
- d) INH

45) Which of the following main side effects related to aminoglycosides?

- a) Hypersensitivity reaction
- b) Nephrotoxicity
- c) Ototoxicity
- d) B and c are correct**

46) Sulfasalazine & Mesalazine are used for?

- a) Meningitis
- b) UTI
- c) Ulcerative colitis**
- d) RTI

47) An example of 3rd generation cephalosporin's?

- a) Cefadroxil
- b) Cefotaxime
- c) Cefpodoxime
- d) B and c are correct**

48) Tick the drugs used for typhoid and paratyphoid fever as first choice (has beneficial effect)?

- a) Ciprofloxacin**
- b) Chloramphenicol
- c) Amoxicillin
- d) All of the above

49) Bisacodyl is an example for?

- a) Anti-motility agent
- b) Saline laxative



c) Stimulant laxative

d) Bulk laxative

50) Which of the following an example for mucolytic agent?

a) Guaifenesin

b) Ipecac

c) Ambroxol

d) All of the above

51) Therapeutic index is?

a) Toxic dose + therapeutic dose

b) Toxic dose - therapeutic dose

c) Toxic dose / therapeutic dose

d) Toxic dose * therapeutic dose

e) None of them

52) Praziquantel is?

a) Generic name of biltiricide

b) Kill all worms

c) Drug of choice for nematode

d) Both a & b

e) All of the above

53) Controlled drug in the body depend on?

a) PH

b) Enzymatic reaction

c) Body fluid interaction

d) Both b & c

e) All of the above

54) All of the following for prophylaxis of asthma EXCEPT?

a) Ketotifen

b) Nedocromil sodium

c) Sodium cromoglycate

d) Salbutamol

e) None of the above

55) At cardiac shock the first drug of choice is?

a) Epinephrine

b) Hydrocortisone

c) Ephedrine

d) Saline

e) None of the above

56) **Maximum dose of captopril is?**

- a) 150 mg / day
- b) When hypertension occur
- c) 400 mg / day
- d) Both a & b
- e) None of the above

57) **All are cardio-selective β-blocker EXCEPT?**

- a) Atenolol
- b) Esmolol
- c) Metoprolol
- d) Acebutalol
- e) Labetalol

58) **Ticlopidine is?**

- a) Anticoagulant
- b) Antiplatelet
- c) Antibiotic
- d) Anticholinergic
- e) Antifibrinolytic

59) **Cardiac arrest could be managed by the following EXCEPT?**

- a) Ephedrine
- b) Lidocaine
- c) Propranolol
- d) Normal saline
- e) Hydrocortisone

60) **Insulin which can be given intravenously is?**

- a) Regular type
- b) 30/70 type
- c) NPH type
- d) All of the above
- e) None of the above

61) **Drug is used for leishmanial?**

- a) Sodium stiboglyconante
- b) Sodium cromoglyconate
- c) Mebendazole
- d) Metronidazole
- e) Nifuortimox

62) All these drug are anti-bacterial EXCEPT?

- a) Lomefloxacin
- b) Zalacitabine
- c) Amoxicillin
- d) Streptomycin

63) All these drug are anti-bacterial EXCEPT?

- a) Lomefloxacin
- b) Cefeprazone
- c) Amoxicillin
- d) Streptomycin
- e) Zalacitabine

64) All these are natural estrogen EXCEPT?

- a) Mestranol
- b) Estrone
- c) Estriol
- d) Estradiol
- e) None of them

65) Co-trimoxazole contains?

- a) Trimethoprim and Sulphamethoxazole
- b) Trimethoprim and Sulphadiazine
- c) Trimethoprim and Sulphonyl urea
- d) Trimethoprie and Sulphauracil
- e) Trimethoprim and salbutamol

66) One of the following is not for epilepsy?

- a) Clonazepam
- b) Phenytoin
- c) Primidone
- d) Imipramine
- e) Depakine

67) One of the following is not from quinolone group?

- a) Naldixic acid
- b) Enoxacin
- c) Quinine
- d) Norfloxacin
- e) Ciprofloxacin

68) Sumatriptan is used for?

- a) Hypertension
- b) Treatment of migraine
- c) Angina pectoris
- d) Control epilepsy
- e) Epilepsy

69) **Which of the following has vasodilator effect?**

- a) Nicotine
- b) Cholestyramine
- c) Urokinase
- d) Vitamin A
- e) Calcium

70) **One of the following should be avoided in pregnancy?**

- a) Vitamin A
- b) Calcium
- c) Misoprostol (cytotic)
- d) Paracetamol
- e) Ampicillin

71) **All of these can be used for treatment of leprosy EXCEPT?**

- a) Dapson
- b) Rifampin
- c) Clofazamine
- d) INH
- e) None of the above

72) **Hepatitis vaccine dose?**

- a) Once per year
- b) Twice per year
- c) Three per year
- d) Four time per year
- e) None of them

73) **Which of the following symptoms does not occur with morphine?**

- a) Diarrhea
- b) Vomiting
- c) Constipation
- d) Respiratory depression
- e) Addiction

74) **Which one of the following is the drug of choice for myxedema (hypothyroidism)?**

- a) Carbimazole
- b) Tadenan



- c) Throxine sodium
- d) Propyl uracil
- e) Potassium iodide

75) **Which of these drugs is not used for acute pain?**

- a) Naproxen
- b) Colchicine
- c) Codeine
- d) **Prednisolone**
- e) Ketorolac

76) **Benzyl peroxide is alcohol treatment for?**

- a) Rheumatic pain
- b) Angina pectoris
- c) **Acne vulgaris**
- d) Dysmenorrheal
- e) Diabetes insipidus

77) **Vitamin A daily dose correction of deficiency?**

- a) 15 000 IU
- b) 20 000 IU
- c) **50 000 IU**
- d) 100 000 IU
- e) 500 000 IU

78) **The drug of choice of treatment of amoeba?**

- a) Chloramphenicol
- b) Gentamycin
- c) Tetracycline
- d) **Metronidazole**
- e) Mebendazole

79) **Which one is OTC drug?**

- a) **Analgesics**
- b) Warfarin
- c) Ciprofloxacin
- d) Insulin
- e) Glibenclamide

80) **All of the following are controlled drugs EXCEPT?**

- a) Rivotril
- b) **Epanutin**
- c) Stesolid
- d) Diazepam



81) Which of the following is enzyme inducer?

- a) Rifampicin
- b) Cimetidine
- c) Chloramphenicol
- d) Vit C
- e) Omeprazole

82) All of the following is NSAH (non-sedating antihistaminic) EXCEPT?

- a) Loratadine
- b) Cetirizine
- c) Astemizol
- d) Azatadine
- e) None of the above

83) Anticoagulant effect of warfarin is decreased by the use of the following EXCEPT?

- a) Rifampicin
- b) Aspirin
- c) Vitamin K
- d) All of them
- e) None of them

84) The following are antiplatelet EXCEPT?

- a) Dipyridamole
- b) Ticlopidine
- c) Streptokinase
- d) Aspirin
- e) Clobidogrel

85) Thiazide derivative cause all of the following EXCEPT?

- a) Hyponatremia
- b) Hyperglycemia
- c) Hypokalemia
- d) Hyperuricemia
- e) Hypernatremia

86) Treatment with anti-arrhythmic drug depend on all of the following EXCEPT?

- a) Type of medication
- b) Patient sex
- c) Period of medication
- d) Diagnosis
- e) Pharmacokinetic

87) **Procainamide interfere with sodium channel activity the same as?**

- a) Quinidine
- b) Digoxin
- c) Verapamil
- d) Sotalol
- e) Amlodipine

88) **What is the function of vitamin K?**

- a) Synthesis of iron
- b) Synthesis of coagulation factor by hepatic cell
- c) Synthesis of prostaglandin
- d) Synthesis of vitamin B₁₂
- e) Synthesis of histamine

89) **Vitamin A daily dose for therapy?**

- a) 20 000 IU
- b) 100 000 - 200 000 IU
- c) 20 000 - 100 000 IU
- d) 15 000 IU
- e) 10 000 IU

90) **Ferrogard is?**

- a) Ferrous citrate
- b) Ferrous sulfate
- c) Ferrous gluconate
- d) Ferrous fumarate
- e) Ferric sulfate

91) **To prevent more absorption of the toxic drug we use?**

- a) Water
- b) Saline
- c) Sodium salt
- d) Potassium salt
- e) Activated charcoal

92) **All these drugs are antiviral EXCEPT?**

- a) Amantadine
- b) Zidovudine
- c) Acyclovir
- d) Alurin
- e) Ganciclovir

93) **One of the following is given once daily?**

- a) Amorphous insulin
- b) Protamine Zinc insulin
- c) Regular insulin
- d) Both b & c
- e) All of the above

94) **All these are anti-coagulant EXCEPT?**

- a) Warfarin
- b) Heparin
- c) Dalteparin
- d) Dipyridamole

95) **The steady state concentration of the drug in the plasma is?**

- a) Directly proportional to the rate of absorption
- b) Indirectly proportional to the rate of absorption
- c) Directly proportional to the rate of elimination
- d) Indirectly proportional to the rate of elimination
- e) Directly proportional to the rate of distribution

96) **Grisofulvin?**

- a) Antifungal that acts parenterally only
- b) Antifungal that acts orally only
- c) Antifungal that acts parenterally and oral
- d) Imidazole group antifungal
- e) All of the above

97) **Dobutamine is given I.V (not by mouth) because?**

- a) Not stable in gastric PH
- b) Eliminated very quickly
- c) Causes nausea and vomiting if taken orally
- d) Needed large dose orally
- e) None of the above

98) **Amiloride treatment can cause?**


- a) C.N.S disturbance
- b) Hyperkalemia
- c) Hypokalemia
- d) Both a & b
- e) None of the above

99) **Elimination of Digoxin is mainly by?**

- a) Kidney
- b) Liver
- c) Skin
- d) Both a & b
- e) All of the above

100) **Drug can cause problem if taken as an OTC?**

- a) Warfarin
- b) Captopril
- c) Chlorothiazide
- d) Rifampicin
- e) Gemfibrozil



نرزو موقعنا عبر جوجل وقناتنا الرسمية عبر تليجرام للاطلاع على جميع

البيانات والملخصات والتقريرات المرئية في عالم الصيدلة