

بسم الله الرحمن الرحيم

REPUBLIC OF YEMEN

Medical Council
Pharmacist Pen Team

قلم صيدلي
PHARMACIST PEN FOR TRAINING

الجمهورية اليمنية

المجلس الطبي
فريق قلم صيدلي

امتنان الخفلة الرباعي
لمناراة المهنة الطبية
٢٩/١٢/٢٢٢٢م بالخاصة
(منظمة) - بكالوريوس
صيدلة سريرية

<https://pharmacistpen.com>

<https://www.facebook.com/PharmacistPen>

<https://www.youtube.com/@pharmacistpen>

<https://t.me/pharmacistpen1>

إعداد وتجميع فريق قلم صيدلي

إعداد وتجميعه / أجد الصبري

I: Choose one best answer for the following questions:

- 1. Which of the following tests can be used to confirm eradication of H. pylori?**
 - a) Urea breath test
 - b) Stool antigen assay
 - c) EGD with biopsies
 - d) Serologic testing
- 2. ACEI used in?**
 - a) Hyperkalemia
 - b) Diabetic nephropathy
 - c) HF with Peripheral edema
 - d) All of the above
- 3. Contraindicated during pregnancy?**
 - a) Methotrexate
 - b) Cefazolin
 - c) Nifedipine
 - d) None of the above
- 4. Safe during pregnancy?**
 - a) Cefazolin
 - b) Ciprofloxacin
 - c) ACEIs
 - d) ARBs
- 5. Red man syndrome caused by?**
 - a) Vancomycin
 - b) Gentamycin
 - c) Cefazolin
 - d) Clarithromycin
- 6. Bone fracture caused by?**
 - a) Pioglitazone
 - b) Metformin
 - c) Insulin
 - d) Exenatide
- 7. Drug family increase GLP?**
 - a) GLP
 - b) DPP
 - c) Metformin
 - d) Insulin

8. Therapeutic range of INR in DVT?

- a) 2 - 3
- b) 2.5 - 3.5
- c) 0.8 - 1
- d) 1 - 1.5

9. Warfarin monitoring can be done by?

- a) INR
- b) PTT
- c) APTT
- d) CPC

10. Heparin mechanism?

- a) Anti-thrombin III
- b) Inhibit liver coagulation factor
- c) A and B
- d) None of the above

11. Anticoagulant used in first trimester?

- a) Enoxaparin
- b) Warfarin
- c) Apixaban
- d) alteplase

12. Monitoring of Heparin can do by?

- a) PT
- b) aPTT
- c) INR
- d) CBC

13. Dose of warfarin reach its maximum effect after?

- a) 1 day
- b) 3 hours
- c) 3 days
- d) None of the above

14. Quinolones cause in patient less than 18 years?

- a) Cartilage damage
- b) Pneumonia
- c) All of the above
- d) None of the above

15. GLP1 analog drug?

- a) Exenatide
- b) Pioglitazone
- c) Metformin
- d) Glyburide

16. Patient with H. pylori and have hypersensitivity from Penicillin can treated by?

- a) PPI - Metronidazole - Clarithromycin
- b) PPI - Metronidazole - Bismuth subsalicylate - Tetracycline
- c) PPI - Metronidazole - Amoxicillin
- d) Both A and B

17. NSAID differ from H. pylori in peptic ulcer?

- a) Mainly effect stomach
- b) Mainly effect duodenum
- c) A and B
- d) None of the above

18. Which one of the following most use in meningitis?

- a) Cefazolin
- b) Ceftriaxone
- c) Cefuroxime
- d) Cefpodoxime

19. Which of the following is L.M.W.H anticoagulation?

- a) Enoxaparin
- b) Tinzaparin
- c) Bivalirudin
- d) Both A + B

20. Antidote of heparin is?

- a) Protamine
- b) Enoxaparin
- c) Dalteparin
- d) Tinzaparin

21. Which of the following direct reversible thrombin inhibitors used in heparin induced thrombocytopenia?

- a) Lepirudin
- b) Bivalirudin
- c) Dalteparin
- d) Argatroban

22. Which of the following is side effect of heparin?

- a) Bleeding
- b) Osteoporosis
- c) Thrombocytopenia
- d) All of the above

23. Vit K reductase inhibitor?

- a) Warfarin
- b) Apixaban
- c) Ezetimibe
- d) Eptifibatide

24. Streptokinase is?

- a) Natural protein produced from streptococci
- b) Synthetic protein
- c) Antiplatelet
- d) None of the above

25. Streptokinase is?

- a) Natural protein produced from streptococcus
- b) Tissue plasmogen activator
- c) Can develop allergic reaction
- d) Both A + C

26. Amphotericin B decreases which of the following?

- a) Ca
- b) K
- c) Na
- d) Mg

27. Not barrier contraceptive

- a) Patch
- b) Nova ring
- c) Diaphragm
- d) Condom

28. All of the following are complications of cirrhosis except?

- a) Ascites
- b) Hypertension
- c) Diabetes mellitus
- d) Spontaneous bacterial peritonitis

29. Amphotericin B with lipid associated version is?

- a) To decrease side effects
- b) To increase effect
- c) To convert IV route to oral
- d) None of the above

30. IIb/IIIa inhibitors?

- a) Heparin
- b) Warfarin
- c) Eptifibatide
- d) Enoxaparin

31. Antidote of Warfarin toxicity?

- a) Vit K
- b) Fresh frozen plasma
- c) Both A + B
- d) None of the above

32. First-line drug for treatment of type 2 diabetes mellitus and obesity?

- a) Metformin
- b) Insulin
- c) Pioglitazone
- d) Sitagliptin

33. Contraindicated drugs in type C heart failure?

- a) Pioglitazone
- b) Metformin
- c) Both A + B
- d) None of the above

34. SGLT2 drugs?

- a) Canagliflozin
- b) Metformin
- c) Insulin
- d) Exenatide

35. All of the following are true about -glucosidase inhibitors EXCEPT?

- a) Cause Hypoglycemia
- b) Mixed with other drugs
- c) Used in type 1 and type 2
- d) Acarbose, Miglitol

36. Which of the following drugs don't cause QT-prolongation?

- a) Azithromycin
- b) Gatifloxacin
- c) Gentamicin
- d) Clarithromycin

37. Aminoglycosides can lead to one of the following EXCEPT?

- a) Inhibit aerobic bacteria
- b) Nephrotoxicity
- c) Time-dependent
- d) All of the above

38. Digoxin cause the following EXCEPT?

- a) Increase chronotropic
- b) Increase inotropic
- c) Increase renal blood flow
- d) decrease the preload

39. inflammatory bowel disease is treated by?

- a) Mesalamine
- b) Rifaximin
- c) ondansetron
- d) Bisacodyl

40. Which of the following is Enzyme inhibitor?

- a) Phenobarbital
- b) Carbamazepine
- c) Cimetidine
- d) Rifaximin

41. GIT irritation and lactic acidosis are side effects of?

- a) Metformin
- b) Pioglitazone
- c) Insulin
- d) Exenatide

42. Which of the following inhibit Vit B12 absorption?

- a) Metformin
- b) Pioglitazone
- c) Insulin
- d) Exenatide

43. Character of type 1 diabetes mellitus?

- a) Destroy beta cell in the pancreas
- b) Insulin deficiency
- c) Insulin resistance
- d) None of the above

44. Patient with hyper sensitivity to penicillin can use?

- a) Augmentin
- b) Erythromycin
- c) Ceftriaxone
- d) Amoxicillin

45. Which of the following is tissue plasminogen activator?

- a) Alteplase
- b) Streptokinase
- c) Heparin
- d) Warfarin

46. Sulfonylureas cause?

- a) Hypoglycemia
- b) Weight gain
- c) A and B
- d) None of the above

47. The initial dose of diuretics that uses in ascites?

- a) Furosemide 40mg once daily
- b) Furosemide 100mg once daily
- c) Spironolactone 40mg daily
- d) Spironolactone 100mg and Furosemide 40mg daily

48. Which of the following PPI regimens is/are preferred for old patient with esophagitis?

- a) Omeprazole
- b) Lansoprazole
- c) Pantoprazole
- d) Esomeprazole

49. The best antiepileptic drug for women uses contraceptive?

- a) Lamotrigine
- b) Ethosuximide
- c) Levetiracetam
- d) Diazepam

50. Which of the following Combination contraceptive?

- a) Desogestrel
- b) Yaz
- c) Medroxyprogesterone acetate
- d) B and C

انضموا الى قناتنا الرسمية عبر تليجرام لقراءة وتحليل مجلة قلم صيدلي بإصدارها الأول والثاني



أيضاً زوروا موقعنا عبر جوجل للاطلاع على جميع النماذج والملخصات

والتفريغات المهمة في عالم الصيدلة